

Reported gonorrhea infection rates (per 100,000) and the percent change in infection rates from 2004, 2005, and 2006, reported by zip codes in Cuyahoga County, sorted by incidence rate per 100,000 for 2006 (in bold).

ZIP CODE	Case counts			Incidence rate per 100,000			Percent rate change from		
	2004	2005	2006	2004	2005	2006	2004 to 2005	2005 to 2006	2004 to 2006
44115	92	85	99	1161.74	1082.07	1278.56	-6.86	18.16	10.06
44108	399	428	415	1131.35	1223.44	1203.47	8.14	-1.63	6.37
44104	283	317	314	1012.1	1142.91	1148.50	12.92	0.49	13.48
44103	253	255	258	1031.74	1048.35	1076.05	1.61	2.64	4.29
44114	18	21	36	478.2	562.43	978.14	17.61	73.91	104.55
44110	252	236	235	981.66	926.8	936.25	-5.59	1.02	-4.63
44112	309	289	292	961.45	906.53	929.21	-5.71	2.50	-3.35
44105	359	401	426	676.77	762.09	821.33	12.61	7.77	21.36
44106	166	186	209	529.33	597.93	681.60	12.96	13.99	28.77
44102	328	228	334	650.67	455.97	677.64	-29.92	48.61	4.14
44120	251	257	299	547.97	565.63	667.60	3.22	18.03	21.83
44127	39	72	53	479.76	892.91	666.81	86.12	-25.32	38.99
44128	154	164	192	473.61	508.46	603.90	7.36	18.77	27.51
44117	42	50	67	359.46	431.4	586.46	20.02	35.94	63.15
44113	111	70	98	589.44	374.74	532.24	-36.42	42.03	-9.7
44132	48	46	56	323.83	312.86	386.39	-3.39	23.50	19.32
44135	66	51	104	238.87	186.08	384.96	-22.1	106.88	61.16
44109	144	136	154	325.13	309.56	355.61	-4.79	14.88	9.38
44137	76	80	83	300.92	319.33	336.11	6.12	5.25	11.69
44118	85	106	143	194.05	243.96	333.88	25.72	36.86	72.06
44123	45	48	47	253.32	272.4	270.59	7.53	-0.66	6.82
44111	89	72	104	214.12	174.63	255.89	-18.44	46.54	19.51
44146	43	46	72	140.45	151.47	240.52	7.85	58.79	71.25
44121	62	59	76	182.15	174.74	228.36	-4.07	30.68	25.37
44125	41	44	58	141.86	153.48	205.24	8.19	33.73	44.68
44122	34	29	67	100.75	86.64	203.06	-14.01	134.38	101.54
44119	28	30	20	214.51	231.7	156.70	8.01	-32.37	-26.95
44107	28	56	71	51.04	102.91	132.36	101.63	28.62	159.34
44144	17	15	22	80.59	71.69	106.67	-11.05	48.79	32.35
44126	7	3	15	42.08	Suppressed	92.22	N/A	.	119.16
44143	17	18	18	74.05	79.05	80.19	6.74	1.45	8.29
44017	9	1	13	48.95	Suppressed	72.32	N/A	N/A	47.73
44134	16	15	27	40.94	38.7	70.66	-5.49	82.61	72.59
44142	5	7	8	24.46	34.52	40.02	41.14	15.94	63.64
44124	7	1	11	17.94	Suppressed	28.83	N/A	N/A	60.72
44139	5	6	6	23.25	28.13	28.53	20.98	1.45	22.73
44136	5	3	11	11.78	Suppressed	26.52	N/A	N/A	125
44129	6	3	7	20.91	Suppressed	24.95	N/A	N/A	19.32
44133	1	2	6	Suppressed	Suppressed	22.11	N/A	N/A	N/A
44130	4	9	11	Suppressed	17.49	21.69	N/A	23.99	N/A
44070	4	12	3	Suppressed	36.69	Suppressed	N/A	N/A	N/A
44100	39	68	23	Suppressed	Suppressed	Suppressed	N/A	N/A	N/A
44101	4	27	6	Suppressed	Suppressed	Suppressed	N/A	N/A	N/A
44116	5	5	2	24.47	24.67	Suppressed	0.81	N/A	N/A
44145	5	7	2	16.17	22.82	Suppressed	41.14	N/A	N/A

53 cases in 2004, 92 cases in 2005 and 84 cases in 2006 did not report a zip code. 43, 95 and 29 cases for the three years, respectively, reported residence in zip codes 44100 and 44101. Cases listed with zip coded 44185, 44194, 44199 are not posted. Zip codes 44022, 44023, 44040, 44131, 44041, 44138, 44140, 44141, and 44147 had < 5 cases/year. See Methodology section for census denominator adjustment. Results are suppressed where either the denominator <20 or the numerator <5. N/A refers to rates that are not available.

Reported gonorrhea infection rates (per 100,000) and the percent change in infection rates from 2004, 2005, and 2006, reported by zip codes in Cuyahoga County sorted by the percent change in incidence rate from 2005 to 2006 (in bold).

ZIP CODE	Case counts			Incidence rate per 100,000			Percent rate change from		
	2004	2005	2006	2004	2005	2006	2004 to 2005	2005 to 2006	2004 to 2006
44122	34	29	67	100.75	86.64	203.06	-14.01	134.38	101.54
44135	66	51	104	238.87	186.08	384.96	-22.1	106.88	61.16
44134	16	15	27	40.94	38.7	70.66	-5.49	82.61	72.59
44114	18	21	36	478.2	562.43	978.14	17.61	73.91	104.55
44146	43	46	72	140.45	151.47	240.52	7.85	58.79	71.25
44144	17	15	22	80.59	71.69	106.67	-11.05	48.79	32.35
44102	328	228	334	650.67	455.97	677.64	-29.92	48.61	4.14
44111	89	72	104	214.12	174.63	255.89	-18.44	46.54	19.51
44113	111	70	98	589.44	374.74	532.24	-36.42	42.03	-9.7
44118	85	106	143	194.05	243.96	333.88	25.72	36.86	72.06
44117	42	50	67	359.46	431.4	586.46	20.02	35.94	63.15
44125	41	44	58	141.86	153.48	205.24	8.19	33.73	44.68
44121	62	59	76	182.15	174.74	228.36	-4.07	30.68	25.37
44107	28	56	71	51.04	102.91	132.36	101.63	28.62	159.34
44130	4	9	11	Suppressed	17.49	21.69	N/A	23.99	N/A
44132	48	46	56	323.83	312.86	386.39	-3.39	23.50	19.32
44128	154	164	192	473.61	508.46	603.9	7.36	18.77	27.51
44115	92	85	99	1161.74	1082.07	1278.56	-6.86	18.16	10.06
44120	251	257	299	547.97	565.63	667.6	3.22	18.03	21.83
44142	5	7	8	24.46	34.52	40.02	41.14	15.94	63.64
44109	144	136	154	325.13	309.56	355.61	-4.79	14.88	9.38
44106	166	186	209	529.33	597.93	681.6	12.96	13.99	28.77
44105	359	401	426	676.77	762.09	821.33	12.61	7.77	21.36
44137	76	80	83	300.92	319.33	336.11	6.12	5.25	11.69
44103	253	255	258	1031.74	1048.35	1076.05	1.61	2.64	4.29
44112	309	289	292	961.45	906.53	929.21	-5.71	2.50	-3.35
44143	17	18	18	74.05	79.05	80.19	6.74	1.45	8.29
44139	5	6	6	23.25	28.13	28.53	20.98	1.45	22.73
44110	252	236	235	981.66	926.8	936.25	-5.59	1.02	-4.63
44104	283	317	314	1012.1	1142.91	1148.5	12.92	0.49	13.48
44123	45	48	47	253.32	272.4	270.59	7.53	-0.66	6.82
44108	399	428	415	1131.35	1223.44	1203.47	8.14	-1.63	6.37
44127	39	72	53	479.76	892.91	666.81	86.12	-25.32	38.99
44119	28	30	20	214.51	231.7	156.7	8.01	-32.37	-26.95
44126	7	3	15	42.08	Suppressed	92.22	N/A	N/A	119.16
44017	9	1	13	48.95	Suppressed	72.32	N/A	N/A	47.73
44124	7	1	11	17.94	Suppressed	28.83	N/A	N/A	60.72
44136	5	3	11	11.78	Suppressed	26.52	N/A	N/A	125
44129	6	3	7	20.91	Suppressed	24.95	N/A	N/A	19.32
44133	1	2	6	Suppressed	Suppressed	22.11	N/A	N/A	N/A
44070	4	12	3	Suppressed	36.69	Suppressed	N/A	N/A	N/A
44100	39	68	23	Suppressed	Suppressed	Suppressed	N/A	N/A	N/A
44101	4	27	6	Suppressed	Suppressed	Suppressed	N/A	N/A	N/A
44116	5	5	2	24.47	24.67	Suppressed	0.81	N/A	N/A
44145	5	7	2	16.17	22.82	Suppressed	41.14	N/A	N/A

53 cases in 2004, 92 cases in 2005 and 84 cases in 2006 did not report a zip code. 43, 95 and 29 cases for the three years, respectively, reported residence in zip codes 44100 and 44101. Cases listed with zip coded 44185, 44194, 44199 are not posted. Zip codes 44022, 44023, 44040, 44131, 44041, 44138, 44140, 44141, and 44147 had < 5 cases/year. See Methodology section for census denominator adjustment. Results are suppressed where either the denominator <20 or the numerator <5. N/A refers to rates that are not available.

Reported gonorrhea infection rates (per 100,000) and the percent change in infection rates from 2004, 2005, and 2006, reported by zip codes in Cuyahoga County sorted by the percent change in incidence rate in the two years from 2004 to 2006 (in bold).

ZIP CODE	Case counts			Incidence rate per 100,000			Percent rate change from		
	2004	2005	2006	2004	2005	2006	2004 to 2005	2005 to 2006	2004 to 2006
44107	28	56	71	51.04	102.91	132.36	101.63	28.62	159.34
44136	5	3	11	11.78	Suppressed	26.52	N/A	N/A	125.00
44126	7	3	15	42.08	Suppressed	92.22	N/A	N/A	119.16
44114	18	21	36	478.2	562.43	978.14	17.61	73.91	104.55
44122	34	29	67	100.75	86.64	203.06	-14.01	134.38	101.54
44134	16	15	27	40.94	38.7	70.66	-5.49	82.61	72.59
44118	85	106	143	194.05	243.96	333.88	25.72	36.86	72.06
44146	43	46	72	140.45	151.47	240.52	7.85	58.79	71.25
44142	5	7	8	24.46	34.52	40.02	41.14	15.94	63.64
44117	42	50	67	359.46	431.4	586.46	20.02	35.94	63.15
44135	66	51	104	238.87	186.08	384.96	-22.1	106.88	61.16
44124	7	1	11	17.94	Suppressed	28.83	N/A	N/A	60.72
44017	9	1	13	48.95	Suppressed	72.32	N/A	N/A	47.73
44125	41	44	58	141.86	153.48	205.24	8.19	33.73	44.68
44127	39	72	53	479.76	892.91	666.81	86.12	-25.32	38.99
44144	17	15	22	80.59	71.69	106.67	-11.05	48.79	32.35
44106	166	186	209	529.33	597.93	681.6	12.96	13.99	28.77
44128	154	164	192	473.61	508.46	603.9	7.36	18.77	27.51
44121	62	59	76	182.15	174.74	228.36	-4.07	30.68	25.37
44139	5	6	6	23.25	28.13	28.53	20.98	1.45	22.73
44120	251	257	299	547.97	565.63	667.6	3.22	18.03	21.83
44105	359	401	426	676.77	762.09	821.33	12.61	7.77	21.36
44111	89	72	104	214.12	174.63	255.89	-18.44	46.54	19.51
44132	48	46	56	323.83	312.86	386.39	-3.39	23.5	19.32
44129	6	3	7	20.91	Suppressed	24.95	N/A	N/A	19.32
44104	283	317	314	1012.1	1142.91	1148.5	12.92	0.49	13.48
44137	76	80	83	300.92	319.33	336.11	6.12	5.25	11.69
44115	92	85	99	1161.74	1082.07	1278.56	-6.86	18.16	10.06
44109	144	136	154	325.13	309.56	355.61	-4.79	14.88	9.38
44143	17	18	18	74.05	79.05	80.19	6.74	1.45	8.29
44123	45	48	47	253.32	272.4	270.59	7.53	-0.66	6.82
44108	399	428	415	1131.35	1223.44	1203.47	8.14	-1.63	6.37
44103	253	255	258	1031.74	1048.35	1076.05	1.61	2.64	4.29
44102	328	228	334	650.67	455.97	677.64	-29.92	48.61	4.14
44112	309	289	292	961.45	906.53	929.21	-5.71	2.5	-3.35
44110	252	236	235	981.66	926.8	936.25	-5.59	1.02	-4.63
44113	111	70	98	589.44	374.74	532.24	-36.42	42.03	-9.70
44119	28	30	20	214.51	231.7	156.7	8.01	-32.37	-26.95
44130	4	9	11	Suppressed	17.49	21.69	N/A	23.99	N/A
44133	1	2	6	Suppressed	Suppressed	22.11	N/A	N/A	N/A
44070	4	12	3	Suppressed	36.69	Suppressed	N/A	N/A	N/A
44100	39	68	23	Suppressed	Suppressed	Suppressed	N/A	N/A	N/A
44101	4	27	6	Suppressed	Suppressed	Suppressed	N/A	N/A	N/A
44116	5	5	2	24.47	24.67	Suppressed	0.81	N/A	N/A
44145	5	7	2	16.17	22.82	Suppressed	41.14	N/A	N/A

53 cases in 2004, 92 cases in 2005 and 84 cases in 2006 did not report a zip code. 43, 95 and 29 cases for the three years, respectively, reported residence in zip codes 44100 and 44101. Cases listed with zip coded 44185, 44194, 44199 are not posted. Zip codes 44022, 44023, 44040, 44131, 44041, 44138, 44140, 44141, and 44147 had < 5 cases/year. See Methodology section for census denominator adjustment. Results are suppressed where either the denominator <20 or the numerator <5. N/A refers to rates that are not available.