

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)	Minimum	Maximum			
					Old Brooklyn	Glenville	Mt. Pleasant
Heart Diseases	30.42	3,052	22.45	37.01	31.91	29.71	27.64
Malignant neoplasms	22.97	2,305	14.60	27.85	24.68	23.55	27.85
Other	11.65	1,169	7.54	16.67	11.06	13.22	10.98
Cerebrovascular disease	5.24	526	1.39	8.91	4.54	7.07	4.88
Chronic lower respiratory infections	4.28	429	1.64	10.42	5.11	3.08	2.85
Accidents	3.33	334	1.57	7.43	3.40	1.63	2.24
Diabetes mellitus	2.90	291	1.36	6.12	2.13	3.26	3.46
Nephritis nephrotic syndrome and nephrosis	1.99	200	0.87	4.21	2.55	1.99	2.44
Alzheimers Disease	1.92	193	0.50	7.69	2.13	2.54	1.63
Influenza and Pneumonia	1.71	172	0.56	3.16	1.99	1.27	2.03
Homicide	1.70	171	0.28	5.00	0.28	2.17	1.83
Septicemia	1.58	159	0.50	4.36	1.13	1.45	1.42
Chronic liver disease and cirrhosis	1.39	139	0.28	3.70	1.13	0.72	1.22
Certain conditions originating in the perinatal period	1.20	120	0.22	8.33	0.85	1.09	2.44
Primary Hypertension/Hypertensive Renal Disease	1.13	113	0.21	3.60	1.13	1.45	2.64
Suicide	1.07	107	0.22	2.32	2.13	0.36	0.41
Other diseases of circulatory system	1.07	107	0.33	2.70	0.71	1.27	0.61
HIV disease	0.67	67	0.21	3.05	0.28	1.27	0.41
Pneumoconioses and chemical effects	0.59	59	0.14	1.80	0.14	0.91	0.81
In situ neoplasms benign neoplasms	0.50	50	0.20	2.04	0.43	.	0.20
Congenital malformations deformations and chromosomal abnormalities	0.45	45	0.14	2.11	0.14	.	.
Atherosclerosis	0.41	41	0.22	1.69	0.57	0.36	0.41
Parkinsons Disease	0.37	37	0.14	1.36	0.14	0.36	0.41
Anemias	0.28	28	0.20	1.54	0.28	.	0.20
Viral hepatitis	0.24	24	0.14	1.02	0.14	0.36	.
Nutritional deficiencies	0.19	19	0.18	0.57	0.57	0.18	0.41
Complications of medical and surgical care	0.17	17	0.21	8.33	.	.	.
Peptic ulcer	0.13	13	0.22	0.70	.	0.54	0.41
Cholelithiasis and other diseases of gallbladder	0.13	13	0.18	0.89	.	0.18	.
Legal Intervention	0.09	9	0.22	0.56	.	.	.
Tuberculosis	0.07	7	0.14	0.58	0.14	.	.
Meningitis	0.04	4	0.20	0.45	.	.	0.20
Pregnancy childbirth and the puerperium	0.02	2	0.33	0.93	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	0.33	0.50	.	.	.
Other acute lower respiratory infections	0.02	2	0.50	0.93	.	.	.
Hernia	0.02	2	0.22	0.29	.	.	.
Infections of kidney	0.02	2	0.14	0.21	0.14	.	.
Diseases of appendix	0.01	1	0.38	0.38	.	.	.
Meningococcal infection	0.01	1	0.22	0.22	.	.	.
Syphilis	0.01	1	0.21	0.21	.	.	.
Hyperplasia of prostate	0.01	1	0.14	0.14	0.14	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)				
			North Collinwood	Kamms Corners	Lee-Miles	Hough
Heart Diseases	30.42	3,052	33.47	34.75	26.14	32.37
Malignant neoplasms	22.97	2,305	22.25	21.82	27.23	22.54
Other	11.65	1,169	9.56	13.98	14.60	13.84
Cerebrovascular disease	5.24	526	6.44	5.51	3.49	4.91
Chronic lower respiratory infections	4.28	429	4.37	3.18	3.05	2.68
Accidents	3.33	334	1.66	2.33	2.40	2.46
Diabetes mellitus	2.90	291	3.53	3.60	3.05	2.46
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.87	2.75	2.40	1.12
Alzheimers Disease	1.92	193	3.12	0.85	2.61	2.90
Influenza and Pneumonia	1.71	172	1.04	1.69	2.40	0.89
Homicide	1.70	171	1.25	0.42	0.87	1.79
Septicemia	1.58	159	1.46	0.85	4.36	2.46
Chronic liver disease and cirrhosis	1.39	139	2.08	0.85	1.53	1.12
Certain conditions originating in the perinatal period	1.20	120	0.83	0.85	0.87	0.22
Primary Hypertension/Hypertensive Renal Disease	1.13	113	0.21	0.42	1.09	1.12
Suicide	1.07	107	1.46	0.85	0.22	0.67
Other diseases of circulatory system	1.07	107	1.66	0.64	0.65	2.01
HIV disease	0.67	67	0.21	.	.	0.22
Pneumoconioses and chemical effects	0.59	59	0.83	1.48	0.44	0.45
In situ neoplasms benign neoplasms	0.50	50	0.83	0.85	.	0.22
Congenital malformations deformations and chromosomal abnormalities	0.45	45	.	0.21	.	0.22
Atherosclerosis	0.41	41	0.42	0.42	0.22	.
Parkinsons Disease	0.37	37	0.21	0.64	0.22	0.45
Anemias	0.28	28	0.21	0.21	0.44	0.45
Viral hepatitis	0.24	24	.	0.21	0.44	0.22
Nutritional deficiencies	0.19	19	0.21	.	.	0.45
Complications of medical and surgical care	0.17	17	0.42	0.21	0.22	0.22
Peptic ulcer	0.13	13	.	.	0.22	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	0.42	0.22	0.89
Legal Intervention	0.09	9	.	.	0.22	.
Tuberculosis	0.07	7	.	.	0.22	.
Meningitis	0.04	4	.	.	0.22	0.22
Pregnancy childbirth and the puerperium	0.02	2	.	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	.	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	.	.
Hernia	0.02	2	.	.	.	0.22
Infections of kidney	0.02	2	0.21	.	.	.
Diseases of appendix	0.01	1	.	.	.	.
Meningococcal infection	0.01	1	.	.	.	0.22
Syphilis	0.01	1	0.21	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)					
			South Broadway	Detroit Shoreway	Forest Hills	Corlett	Jefferson
Heart Diseases	30.42	3,052	34.65	27.37	32.48	28.45	32.46
Malignant neoplasms	22.97	2,305	20.70	20.67	23.93	22.70	24.64
Other	11.65	1,169	10.23	10.89	12.25	10.34	11.88
Cerebrovascular disease	5.24	526	5.81	5.87	3.70	8.91	4.93
Chronic lower respiratory infections	4.28	429	6.05	4.47	2.28	3.16	6.38
Accidents	3.33	334	2.56	5.59	2.56	2.87	4.35
Diabetes mellitus	2.90	291	1.40	3.35	3.13	3.45	2.61
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.40	1.68	2.28	2.30	0.87
Alzheimers Disease	1.92	193	0.93	1.12	1.99	1.72	1.74
Influenza and Pneumonia	1.71	172	1.40	1.68	1.71	2.30	0.58
Homicide	1.70	171	0.93	2.79	2.28	1.44	0.58
Septicemia	1.58	159	3.26	0.84	1.71	2.01	0.58
Chronic liver disease and cirrhosis	1.39	139	1.40	2.79	0.28	1.44	1.45
Certain conditions originating in the perinatal period	1.20	120	1.86	1.40	1.42	1.72	0.58
Primary Hypertension/Hypertensive Renal Disease	1.13	113	1.16	0.84	1.42	2.01	0.58
Suicide	1.07	107	1.63	1.68	0.85	0.29	1.16
Other diseases of circulatory system	1.07	107	1.16	1.40	0.57	1.44	0.58
HIV disease	0.67	67	.	1.68	0.85	0.57	0.29
Pneumoconioses and chemical effects	0.59	59	0.23	0.56	0.57	1.15	0.87
In situ neoplasms benign neoplasms	0.50	50	0.70	0.84	0.57	0.86	.
Congenital malformations deformations and chromosomal abnormalities	0.45	45	0.70	0.28	0.28	0.57	0.29
Atherosclerosis	0.41	41	0.23	0.56	0.28	.	0.58
Parkinsons Disease	0.37	37	.	0.56	.	.	0.87
Anemias	0.28	28	.	0.28	0.57	.	.
Viral hepatitis	0.24	24	0.23	.	0.57	.	.
Nutritional deficiencies	0.19	19	0.23	0.28	0.28	0.29	0.29
Complications of medical and surgical care	0.17	17	0.23	0.28	0.28	.	.
Peptic ulcer	0.13	13	0.70	.	.	.	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	0.28	0.57	.	.
Legal Intervention	0.09	9	0.23	.	.	.	.
Tuberculosis	0.07	7	.	.	0.28	.	0.58
Meningitis	0.04	4	.	.	.	.	.
Pregnancy childbirth and the puerperium	0.02	2	.	.	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	.	.	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	.	.	.
Hernia	0.02	2	.	.	.	.	0.29
Infections of kidney	0.02	2	.	.	.	.	.
Diseases of appendix	0.01	1	.	.	.	.	.
Meningococcal infection	0.01	1	.	.	.	.	.
Syphilis	0.01	1	.	.	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)				
			Union-Miles Park	Buckeye-Shaker	Puritas-Longmead	West Boulevard
Heart Diseases	30.42	3,052	28.85	28.15	28.48	27.12
Malignant neoplasms	22.97	2,305	27.21	21.52	25.50	24.75
Other	11.65	1,169	7.54	11.92	10.60	11.53
Cerebrovascular disease	5.24	526	6.23	6.29	4.97	2.71
Chronic lower respiratory infections	4.28	429	1.64	3.31	8.61	4.07
Accidents	3.33	334	3.28	2.98	2.32	7.12
Diabetes mellitus	2.90	291	3.28	3.31	1.99	2.37
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.31	2.32	0.99	1.02
Alzheimers Disease	1.92	193	2.30	2.65	0.99	1.36
Influenza and Pneumonia	1.71	172	1.64	2.98	2.65	2.37
Homicide	1.70	171	3.28	1.66	0.99	0.68
Septicemia	1.58	159	1.64	1.66	1.66	2.37
Chronic liver disease and cirrhosis	1.39	139	0.33	0.33	0.99	2.03
Certain conditions originating in the perinatal period	1.20	120	0.98	1.99	0.99	1.69
Primary Hypertension/Hypertensive Renal Disease	1.13	113	2.30	1.66	0.66	.
Suicide	1.07	107	1.31	1.99	2.32	2.03
Other diseases of circulatory system	1.07	107	0.98	0.99	0.33	0.68
HIV disease	0.67	67	1.31	0.66	.	1.02
Pneumoconioses and chemical effects	0.59	59	0.33	.	.	0.68
In situ neoplasms benign neoplasms	0.50	50	0.98	.	1.66	0.68
Congenital malformations deformations and chromosomal abnormalities	0.45	45	0.66	0.33	1.32	2.03
Atherosclerosis	0.41	41	.	0.33	0.66	0.68
Parkinsons Disease	0.37	37	0.33	0.66	.	0.34
Anemias	0.28	28	0.33	0.66	.	0.34
Viral hepatitis	0.24	24	0.33	0.33	0.66	.
Nutritional deficiencies	0.19	19	0.33	.	.	.
Complications of medical and surgical care	0.17	17	0.33	.	0.33	0.34
Peptic ulcer	0.13	13	0.33	0.33	.	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	.	.	.
Legal Intervention	0.09	9	0.33	0.33	0.33	.
Tuberculosis	0.07	7	.	0.33	.	.
Meningitis	0.04	4	.	.	.	.
Pregnancy childbirth and the puerperium	0.02	2	.	0.33	.	.
Inflammatory diseases of female pelvic organs	0.02	2	0.33	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	.	.
Hernia	0.02	2	.	.	.	.
Infections of kidney	0.02	2	.	.	.	.
Diseases of appendix	0.01	1	.	.	.	.
Meningococcal infection	0.01	1	.	.	.	.
Syphilis	0.01	1	.	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)				
			Fairfax	South Collinwood	Central	University
Heart Diseases	30.42	3,052	33.08	28.69	29.20	32.13
Malignant neoplasms	22.97	2,305	18.08	22.78	14.60	15.38
Other	11.65	1,169	11.92	9.70	12.83	13.57
Cerebrovascular disease	5.24	526	8.08	4.64	4.42	8.14
Chronic lower respiratory infections	4.28	429	4.62	4.64	3.10	3.17
Accidents	3.33	334	1.92	5.06	4.87	2.26
Diabetes mellitus	2.90	291	3.08	2.95	4.42	1.36
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.54	1.69	2.65	1.81
Alzheimers Disease	1.92	193	2.69	1.27	1.33	7.69
Influenza and Pneumonia	1.71	172	1.54	1.69	2.65	1.36
Homicide	1.70	171	2.31	4.64	3.10	.
Septicemia	1.58	159	1.92	1.69	0.88	1.36
Chronic liver disease and cirrhosis	1.39	139	0.77	1.69	2.21	0.45
Certain conditions originating in the perinatal period	1.20	120	0.38	1.27	3.10	1.36
Primary Hypertension/Hypertensive Renal Disease	1.13	113	1.15	1.27	2.65	1.36
Suicide	1.07	107	0.38	0.84	1.33	0.45
Other diseases of circulatory system	1.07	107	1.92	1.69	0.88	2.26
HIV disease	0.67	67	.	0.42	1.33	0.45
Pneumoconioses and chemical effects	0.59	59	.	.	0.44	1.36
In situ neoplasms benign neoplasms	0.50	50	0.77	0.42	0.44	0.90
Congenital malformations deformations and chromosomal abnormalities	0.45	45	0.38	0.42	1.33	0.45
Atherosclerosis	0.41	41	0.38	1.27	0.44	0.45
Parkinsons Disease	0.37	37	0.38	.	.	1.36
Anemias	0.28	28	1.54	.	0.44	0.45
Viral hepatitis	0.24	24	.	.	0.88	.
Nutritional deficiencies	0.19	19	0.38	.	.	.
Complications of medical and surgical care	0.17	17	.	.	.	.
Peptic ulcer	0.13	13	.	0.42	.	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	0.42	.	.
Legal Intervention	0.09	9	.	0.42	0.44	.
Tuberculosis	0.07	7	0.38	.	.	.
Meningitis	0.04	4	.	.	.	0.45
Pregnancy childbirth and the puerperium	0.02	2	.	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	.	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	.	.
Hernia	0.02	2	.	.	.	.
Infections of kidney	0.02	2	.	.	.	.
Diseases of appendix	0.01	1	0.38	.	.	.
Meningococcal infection	0.01	1	.	.	.	.
Syphilis	0.01	1	.	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)	Cleveland neighborhoods			
			Clark-Fulton	Edgewater	St. Clair-Superior	Ohio City/Near West Side
Heart Diseases	30.42	3,052	32.00	35.00	28.50	28.93
Malignant neoplasms	22.97	2,305	20.50	20.00	24.00	23.86
Other	11.65	1,169	12.00	12.00	10.50	11.68
Cerebrovascular disease	5.24	526	2.50	5.00	5.00	3.55
Chronic lower respiratory infections	4.28	429	5.00	6.50	4.00	7.61
Accidents	3.33	334	6.00	5.00	2.00	4.06
Diabetes mellitus	2.90	291	3.00	3.50	4.00	2.03
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.00	1.50	3.00	2.03
Alzheimers Disease	1.92	193	2.50	1.50	0.50	0.51
Influenza and Pneumonia	1.71	172	1.00	2.00	1.50	1.52
Homicide	1.70	171	4.00	.	5.00	0.51
Septicemia	1.58	159	0.50	1.50	0.50	.
Chronic liver disease and cirrhosis	1.39	139	1.50	0.50	1.00	1.52
Certain conditions originating in the perinatal period	1.20	120	0.50	.	0.50	1.02
Primary Hypertension/Hypertensive Renal Disease	1.13	113	0.50	0.50	1.50	0.51
Suicide	1.07	107	2.00	1.00	.	1.52
Other diseases of circulatory system	1.07	107	0.50	0.50	2.50	0.51
HIV disease	0.67	67	2.00	1.50	1.00	3.05
Pneumoconioses and chemical effects	0.59	59	.	1.00	0.50	1.02
In situ neoplasms benign neoplasms	0.50	50	0.50	0.50	1.00	0.51
Congenital malformations deformations and chromosomal abnormalities	0.45	45	1.00	.	1.00	1.02
Atherosclerosis	0.41	41	.	0.50	.	0.51
Parkinsons Disease	0.37	37	0.50	.	1.00	1.02
Anemias	0.28	28	0.50	.	0.50	.
Viral hepatitis	0.24	24	.	.	0.50	1.02
Nutritional deficiencies	0.19	19	.	.	.	.
Complications of medical and surgical care	0.17	17	.	.	.	0.51
Peptic ulcer	0.13	13	.	0.50	.	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	.	.	.
Legal Intervention	0.09	9	.	.	.	.
Tuberculosis	0.07	7	.	.	.	.
Meningitis	0.04	4	.	.	.	.
Pregnancy childbirth and the puerperium	0.02	2	.	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	0.50	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	0.50	.
Hernia	0.02	2	.	.	.	.
Infections of kidney	0.02	2	.	.	.	.
Diseases of appendix	0.01	1	.	.	.	.
Meningococcal infection	0.01	1	.	.	.	.
Syphilis	0.01	1	.	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)				
			Woodland Hills	North Broadway	Brooklyn Centre	Cudell
Heart Diseases	30.42	3,052	30.39	33.90	26.92	23.65
Malignant neoplasms	22.97	2,305	25.41	19.77	27.56	27.70
Other	11.65	1,169	11.60	11.86	8.97	10.14
Cerebrovascular disease	5.24	526	3.87	3.95	5.77	6.08
Chronic lower respiratory infections	4.28	429	3.87	3.95	3.21	6.76
Accidents	3.33	334	3.31	4.52	3.85	7.43
Diabetes mellitus	2.90	291	3.87	2.82	1.92	4.05
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.10	3.39	2.56	2.03
Alzheimers Disease	1.92	193	1.10	2.26	1.92	0.68
Influenza and Pneumonia	1.71	172	1.66	0.56	1.28	1.35
Homicide	1.70	171	4.97	3.95	0.64	.
Septicemia	1.58	159	0.55	2.26	1.28	2.03
Chronic liver disease and cirrhosis	1.39	139	1.66	0.56	1.92	3.38
Certain conditions originating in the perinatal period	1.20	120	2.21	1.13	2.56	0.68
Primary Hypertension/Hypertensive Renal Disease	1.13	113	.	0.56	0.64	.
Suicide	1.07	107	.	.	1.92	0.68
Other diseases of circulatory system	1.07	107	1.66	1.13	1.92	.
HIV disease	0.67	67	0.55	.	.	0.68
Pneumoconioses and chemical effects	0.59	59	0.55	.	1.28	1.35
In situ neoplasms benign neoplasms	0.50	50	.	.	.	.
Congenital malformations deformations and chromosomal abnormalities	0.45	45	0.55	.	0.64	.
Atherosclerosis	0.41	41	1.10	1.69	1.28	.
Parkinsons Disease	0.37	37	.	.	1.28	0.68
Anemias	0.28	28	.	0.56	.	.
Viral hepatitis	0.24	24	.	.	0.64	.
Nutritional deficiencies	0.19	19	.	.	.	.
Complications of medical and surgical care	0.17	17	.	.	.	0.68
Peptic ulcer	0.13	13	.	.	.	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	0.56	.	.
Legal Intervention	0.09	9	.	0.56	.	.
Tuberculosis	0.07	7	.	.	.	.
Meningitis	0.04	4	.	.	.	.
Pregnancy childbirth and the puerperium	0.02	2	.	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	.	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	.	.
Hernia	0.02	2	.	.	.	.
Infections of kidney	0.02	2	.	.	.	.
Diseases of appendix	0.01	1	.	.	.	.
Meningococcal infection	0.01	1	.	.	.	.
Syphilis	0.01	1	.	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)				
			Stockyards	Tremont	Downtown	Goodrich/Kirtland Park
Heart Diseases	30.42	3,052	30.56	37.01	28.83	36.94
Malignant neoplasms	22.97	2,305	18.75	24.41	21.62	19.82
Other	11.65	1,169	13.19	8.66	14.41	8.11
Cerebrovascular disease	5.24	526	1.39	4.72	3.60	5.41
Chronic lower respiratory infections	4.28	429	10.42	5.51	3.60	3.60
Accidents	3.33	334	3.47	1.57	4.50	2.70
Diabetes mellitus	2.90	291	3.47	1.57	1.80	2.70
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.39	3.15	.	2.70
Alzheimers Disease	1.92	193	0.69	0.79	0.90	2.70
Influenza and Pneumonia	1.71	172	2.78	0.79	1.80	1.80
Homicide	1.70	171	2.08	1.57	.	0.90
Septicemia	1.58	159	1.39	.	2.70	0.90
Chronic liver disease and cirrhosis	1.39	139	3.47	3.15	3.60	2.70
Certain conditions originating in the perinatal period	1.20	120	1.39	0.79	0.90	1.80
Primary Hypertension/Hypertensive Renal Disease	1.13	113	0.69	.	3.60	0.90
Suicide	1.07	107	1.39	0.79	0.90	.
Other diseases of circulatory system	1.07	107	1.39	0.79	2.70	.
HIV disease	0.67	67	0.69	2.36	0.90	0.90
Pneumoconioses and chemical effects	0.59	59	.	1.57	.	1.80
In situ neoplasms benign neoplasms	0.50	50	.	.	.	0.90
Congenital malformations deformations and chromosomal abnormalities	0.45	45	0.69	0.79	0.90	.
Atherosclerosis	0.41	41	.	.	.	.
Parkinsons Disease	0.37	37	.	.	0.90	0.90
Anemias	0.28	28	.	.	.	0.90
Viral hepatitis	0.24	24	0.69	.	0.90	0.90
Nutritional deficiencies	0.19	19	.	.	.	.
Complications of medical and surgical care	0.17	17	.	.	0.90	.
Peptic ulcer	0.13	13	.	.	.	.
Cholelithiasis and other diseases of gallbladder	0.13	13	.	.	.	.
Legal Intervention	0.09	9	.	.	.	.
Tuberculosis	0.07	7	.	.	.	.
Meningitis	0.04	4	.	.	.	.
Pregnancy childbirth and the puerperium	0.02	2	.	.	.	.
Inflammatory diseases of female pelvic organs	0.02	2	.	.	.	.
Other acute lower respiratory infections	0.02	2	.	.	.	.
Hernia	0.02	2	.	.	.	.
Infections of kidney	0.02	2	.	.	.	.
Diseases of appendix	0.01	1	.	.	.	.
Meningococcal infection	0.01	1	.	.	.	.
Syphilis	0.01	1	.	.	.	.
Hyperplasia of prostate	0.01	1	.	.	.	.

Leading causes of death by percent for each Cleveland neighborhood, 2004-2005

Percent of deaths in 2004-2005 per Cleveland neighborhood (statistical planning area)	Cleveland (% of all deaths)	Cleveland (deaths)					Cleveland (deaths)	Cleveland (% of all deaths)
			Euclid Green	Riverside	Kinsman	Industrial Valley		
Heart Diseases	30.42	3,052	28.70	22.45	33.68	33.33	23.33	
Malignant neoplasms	22.97	2,305	26.85	24.49	21.05	25.00	16.67	
Other	11.65	1,169	10.19	16.33	12.63	16.67	12.78	
Cerebrovascular disease	5.24	526	6.48	5.10	3.16	.	6.11	
Chronic lower respiratory infections	4.28	429	4.63	5.10	2.11	8.33	5.00	
Accidents	3.33	334	1.85	3.06	5.26	.	7.78	
Diabetes mellitus	2.90	291	3.70	6.12	.	.	1.67	
Nephritis nephrotic syndrome and nephrosis	1.99	200	1.85	2.04	4.21	.	4.44	
Alzheimers Disease	1.92	193	0.93	2.04	1.05	.	1.67	
Influenza and Pneumonia	1.71	172	1.85	2.04	3.16	.	1.67	
Homicide	1.70	171	1.85	1.02	2.11	.	4.44	
Septicemia	1.58	159	0.93	1.02	2.11	.	0.56	
Chronic liver disease and cirrhosis	1.39	139	3.70	.	1.05	.	1.67	
Certain conditions originating in the perinatal period	1.20	120	0.93	.	3.16	8.33	.	
Primary Hypertension/Hypertensive Renal Disease	1.13	113	1.85	1.02	1.05	.	1.11	
Suicide	1.07	107	.	1.02	.	.	2.22	
Other diseases of circulatory system	1.07	107	0.93	1.02	.	.	0.56	
HIV disease	0.67	67	.	.	.	.	2.78	
Pneumoconioses and chemical effects	0.59	59	.	.	.	.	0.56	
In situ neoplasms benign neoplasms	0.50	50	.	2.04	1.05	.	0.56	
Congenital malformations deformations and chromosomal abnormalities	0.45	45	.	1.02	2.11	.	0.56	
Atherosclerosis	0.41	41	.	1.02	1.05	.	.	
Parkinsons Disease	0.37	37	0.93	.	.	.	0.56	
Anemias	0.28	28	.	.	.	.	1.11	
Viral hepatitis	0.24	24	.	.	.	.	0.56	
Nutritional deficiencies	0.19	19	.	.	.	.	1.11	
Complications of medical and surgical care	0.17	17	.	2.04	.	8.33	.	
Peptic ulcer	0.13	13	.	.	.	.	.	
Cholelithiasis and other diseases of gallbladder	0.13	13	.	.	.	.	.	
Legal Intervention	0.09	9	.	.	.	.	0.56	
Tuberculosis	0.07	7	.	.	.	.	.	
Meningitis	0.04	4	.	.	.	.	.	
Pregnancy childbirth and the puerperium	0.02	2	0.93	.	.	.	.	
Inflammatory diseases of female pelvic organs	0.02	2	.	.	.	.	.	
Other acute lower respiratory infections	0.02	2	0.93	.	.	.	.	
Hernia	0.02	2	.	.	.	.	.	
Infections of kidney	0.02	2	.	.	.	.	.	
Diseases of appendix	0.01	1	.	.	.	.	.	
Meningococcal infection	0.01	1	.	.	.	.	.	
Syphilis	0.01	1	.	.	.	.	.	
Hyperplasia of prostate	0.01	1	.	.	.	.	.	