CITY OF CLEVELAND
Mayor Frank G. Jackson

Cleveland Department of Public Health
CLEVELAND (ONLY) HIV/AIDS PREVALENCE REPORT

Second Quarter 2010

Reported persons living with HIV/AIDS as of June 30, 2010
by selected characteristics, Cleveland Resident Cases* and prevalence per 100,000**
(Provisional data reported to CDPH as of Aug 24, 2010)

	Reported Persons Living with HIV/AIDS			Living with HIV or AIDS by Current Disease Status				All Ohio - Persons Living with HIV/AIDS as of Dec. 31, 2008		
Characteristic	**Rate****	**Cases**	**%**	**HIV**	**%**	**AIDS**	**%**	**Rate**	**Cases**	**Percent**
Gender										
- Male	1072.6	2,207	74%	982	72%	1,225	76%	228.4	12,773	79%
- Female	338.6	764	26%	374	28%	390	24%	57.2	3,363	21%
Age as of report										
<13	11.2	10	<1%	6	0%	4	<1%	3.7	71	<1%
13-14	134.8	16	<1%	15	1%	1	<1%	6.3	20	<1%
15-24	205.9	127	4%	88	7%	39	2%	39.5	622	4%
25-34	636.1	343	12%	244	18%	99	6%	150.4	2,198	14%
35-44	1113.4	730	25%	359	27%	371	23%	326.6	5,198	32%
45-54	1734.0	1,107	37%	384	28%	723	45%	319.7	5,579	35%
55-64	1213.5	513	17%	204	15%	309	19%	153.7	1,994	12%
65+	220.5	117	4%	49	4%	68	4%	29.4	455	3%
Race/Ethnicity										
White, non-Hispanic	411.9	716	24%	295	22%	421	26%	83.4	7,969	49%
Black, non-Hispanic	761.2	1,773	60%	812	60%	961	60%	505.7	7,132	44%
Hispanic	1005.5	360	12%	149	11%	211	13%	261.5	742	5%
Other, non-Hispanic	*	9	<1%	5	<1%	4	<1%	*	98	<1%
Unknown	*	113	4%	95	7%	18	1%	*	196	1%
Race/Gender										
White, non-Hispanic Male	711.2	608	20%	245	18%	363	22%	146.9	6,849	42%
White, non-Hispanic Female	122.2	108	4%	50	4%	58	4%	22.9	1,120	7%
Black, non-Hispanic Male	1209.3	1,280	43%	576	42%	704	44%	769.7	5,162	32%
Black, non-Hispanic Female	387.9	493	17%	236	17%	257	16%	266.3	1,970	12%
Hispanic Male	1279.6	229	8%	85	6%	144	9%	363.1	536	3%
Hispanic Female	731.6	131	4%	64	5%	67	4%	151.3	206	1%
Other Race, Male	*	8	<1%	5	<1%	3	<1%	*	80	<1%
Other Race, Female	*	1	<1%	0	0%	1	<1%	*	18	<1%
Unknown	*	113	4%	95	7%	18	1%	*	196	1%
TOTAL	**688.7**	**2,971**	**100%**	**1,356**	**46%**	**1,615**	**54%**	**140.7**	**16,137**	**100%**

* CLEVELAND RESIDENT CASE is defined as an individual who is classified as HIV or AIDS and was diagnosed while residing in Cleveland and is believed to have been infected in the Greater Cleveland area and is currently residing in Cleveland at last report.

The Cleveland Area cumulative data are from 1980 through the month of this report. Source: CDPH Confidential HIV/AIDS Surveillance Registry.

Ohio cumulative data as of December 31, 2008 were obtained from the ODH HIV/AIDS Surveillance Unit.

**Rate: Living with HIV/AIDS rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2009 US Census for Cleveland (431,363) from the Population Estimate Program of the US Census bureau. Census levels for subgroups are proportional to those reported in the 2000 Census or 2005-2007 American Community Survey. Dash or hyphen indicates no cases were reported for the given category, and asterisks note that no rates are available.

CITY OF CLEVELAND
Mayor Frank G. Jackson

Cleveland Department of Public Health
CLEVELAND (ONLY) HIV/AIDS EXPOSURE REPORT
Reported persons living with HIV/AIDS as of June 30, 2010
by selected characteristics, Cleveland Resident Cases*
(Provisional data reported to CDPH as of Aug 24, 2010)

Second Quarter 2010

Race/Ethnicity Exposure Category	Total Persons Living with HIV/AIDS			Males Living with HIV/AIDS			Females Living with HIV/AIDS		
	Cases	%	% excldg RNR (e)	Cases	%	% excldg RNR (e)	Cases	%	% excldg RNR (e)
White/ Non-Hispanic									
Male/Male Sex	359	50%	58%	359	59%	68%	0	0%	0%
Injection Drug Use (IDU)	51	7%	8%	30	5%	6%	21	19%	23%
Male/Male Sex & IDU	18	3%	3%	18	3%	3%	0	0%	0%
Bisexual Contact	48	7%	8%	48	8%	9%	0	0%	0%
Bisexual & IDU	8	1%	1%	8	1%	2%	0	0%	0%
Heterosexual Contact	127	18%	20%	58	10%	11%	69	64%	77%
Blood Product Receipt	4	1%	1%	4	1%	1%	0	0%	0%
Perinatal Transmission	5	1%	1%	5	1%	1%	0	0%	0%
Risk Not Reported (RNR)	96	13%	-	78	13%	-	18	17%	-
Black-Afr Amer (Non-Hisp.)									
Male/Male Sex	493	28%	33%	493	39%	46%	0	0%	0%
Injection Drug Use (IDU)	144	8%	10%	84	7%	8%	60	12%	15%
Male/Male Sex & IDU	25	1%	2%	25	2%	2%	0	0%	0%
Bisexual Contact	168	9%	11%	160	13%	15%	8	2%	2%
Bisexual & IDU	14	1%	1%	14	1%	1%	0	0%	0%
Heterosexual Contact	600	34%	40%	285	22%	26%	315	64%	77%
Blood Product Receipt	13	1%	1%	8	1%	1%	5	1%	1%
Perinatal Transmission	33	2%	2%	11	1%	1%	22	4%	5%
Risk Not Reported (RNR)	283	16%	-	200	16%	-	83	17%	-
Hispanic									
Male/Male Sex	39	11%	13%	39	17%	20%	0	0%	0%
Injection Drug Use (IDU)	95	26%	32%	74	32%	38%	21	16%	20%
Male/Male Sex & IDU	1	<1%	<1%	1	<1%	<1%	0	0%	0%
Bisexual Contact	13	4%	4%	12	5%	6%	1	1%	1%
Bisexual & IDU	1	<1%	<1%	1	<1%	<1%	0	0%	0%
Heterosexual Contact	125	35%	42%	55	24%	28%	70	53%	67%
Blood Product Receipt	2	<1%	<1%	1	<1%	<1%	1	1%	1%
Perinatal Transmission	24	7%	8%	12	5%	6%	12	9%	11%
Risk Not Reported (RNR)	60	17%	-	34	15%	-	26	20%	-

	No.	%	All Ohio, %, 2008(a)	No.	%	All Ohio, %, 2008(b)	No.	%	All Ohio, %, 2008(c)
All Races and Ethnicities									
Male/Male Sex	904	30%	46%	904	41%	58%	0	0%	-
Injection Drug Use (IDU)	293	10%	7%	191	9%	6%	102	13%	11%
Male/Male Sex & IDU	44	1%	3%	44	2%	4%	0	0%	-
Bisexual Contact	231	8%	-	222	10%	-	9	1%	(other)
Bisexual & IDU	23	1%	-	23	1%	-	0	0%	(other)
Heterosexual Contact	866	29%	14%	403	18%	5%	463	61%	46%
Blood Product Receipt	19	1%	30%	13	1%	27%	6	1%	43%
Perinatal Transmission	63	2%	(other +	28	1%	(other +	35	5%	(other +
Risk Not Reported	528	18%	unknown)	379	17%	unknown)	149	20%	unknown)
Total	**2,971**	100%	100%	**2,207**	100%	100%	**764**	100%	100%

* CLEVELAND RESIDENT CASE is defined as an individual who is classified as HIV or AIDS and was diagnosed while residing in Cleveland and is believed to have been infected in the Greater Cleveland area and is currently residing in Cleveland at last report.

The Cleveland Area cumulative data are from 1980 through the month of this report. Source: CDPH Confidential HIV/AIDS Surveillance Registry.

(a,b,c) The Ohio cumulative data as of Dec. 31, 2008 were obtained from the ODH HIV/AIDS Surveillance Unit.

(a) % of 16,137 Ohio total living cases. (b) % of 12,773 Ohio living male cases. (c) % of 3,363 Ohio living female cases. Source: ODH

(d) Total numbers of cases include cases whose gender were not reported. (e) Percentage, excluding those not reporting risk (RNR)

Dash or hyphen indicates no cases were reported (or % calculated) for the given category.

CITY OF CLEVELAND
Mayor Frank G. Jackson

Cleveland Department of Public Health
CUYAHOGA COUNTY HIV/AIDS PREVALENCE REPORT

Second Quarter 2009

Reported persons living with HIV/AIDS as of June 30, 2009
by selected characteristics, Cuyahoga County cases and prevalence per 100,000
(Provisional data received as of Sept. 8, 2009)

	Reported Persons Living with HIV/AIDS			Living with HIV or AIDS by Current Disease Status				All Ohio - Persons Living with HIV/AIDS as of Dec. 31, 2007		
Characteristic	**Rate****	**No.**	**%**	**HIV**	**%**	**AIDS**	**%**	**Rate**	**Cases**	**Percent**
Gender										
- Male	497.3	3,027	76%	1,293	73%	1,734	79%	228.4	12,774	79%
- Female	141.6	956	24%	490	27%	466	21%	57.2	3,363	21%
- Not reported										
Age as of report										
<13	28.7	21	1%	16	1%	5	<1%	3.7	71	<1%
13-14	10.5	18	<1%	16	1%	2	<1%	6.3	20	<1%
15-24	90.3	151	4%	110	6%	41	2%	39.5	622	4%
25-34	327.8	442	11%	313	18%	129	6%	150.4	2,198	14%
35-44	586.9	1,052	26%	503	28%	549	25%	326.6	5,198	32%
45-54	721.3	1,497	38%	529	30%	968	44%	319.7	5,579	35%
55-64	413.0	642	16%	231	13%	411	19%	153.7	1,994	12%
65+	75.9	148	4%	55	3%	93	4%	29.4	455	3%
Race/Ethnicity										
White, non-Hispanic	150.9	1,225	31%	493	28%	732	33%	83.4	7,969	49%
Black, non-Hispanic	605.7	2,230	56%	1,015	57%	1,215	55%	505.7	7,132	44%
Hispanic	665.3	373	9%	152	9%	221	10%	261.5	742	5%
Other, non-Hispanic	*	18	<1%	9	1%	9	<1%	*	98	<1%
Unknown	*	137	3%	114	6%	23	1%	*	196	1%
Race/Gender										
White, non-Hispanic Male	262.0	1,060	27%	410	23%	650	30%	146.9	6,849	42%
White, non-Hispanic Female	37.4	165	4%	83	5%	82	4%	22.9	1,120	7%
Black, non-Hispanic Male	1017.7	1,609	40%	703	39%	906	41%	769.7	5,162	32%
Black, non-Hispanic Female	324.6	621	16%	312	17%	309	14%	266.3	1,970	12%
Hispanic Male	1526.1	244	6%	88	5%	156	7%	363.1	536	3%
Hispanic Female	806.4	129	3%	64	4%	65	3%	151.3	206	1%
Other Race, Male	*	15	<1%	7	<1%	8	<1%	*	80	<1%
Other Race, Female	*	3	<1%	2	<1%	1	<1%	*	18	<1%
Unknown	*	137	3%	114	6%	23	1%	*	196	1%
TOTAL	**310.2**	**3,983**	**100%**	**1,783**	**45%**	**2,200**	**55%**	**140.7**	**16,137**	**100%**

* CUYAHOGA COUNTY CASE is defined as an individual who is classified as infected with HIV or diagnosed with AIDS as a resident of Cuyahoga County at the time of diagnosis, is believed to have been infected while a resident of Cuyahoga County and resided in the county at last report.

The Cuyahoga County cumulative data are from 1981 through the month of this report. Source: CDPH Confidential HIV/AIDS Surveillance Registry.

Ohio cumulative data as of Dec. 31, 2008 were obtained from the ODH HIV/AIDS Surveillance Unit. Ohio data reflect ages as of 12/31/2008.

**Rate: Living with HIV/AIDS rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2008 US Census for Cuyahoga County (1,283,925) from the Population Estimate Program (US Census Bureau). Census levels for ages under 15 are proportional to those reported in the 2000 Census. Dash or hyphen indicates no cases were reported for the given category, and asterisks note that no rates are available.

Some rates are not available because appropriate census denominators are not possible for the category.

CITY OF CLEVELANDND
Mayor Frank G. Jackson on

Cleveland Department of Public Health
CUYAHOGA COUNTY HIV/AIDS EXPOSURE REPORT

Second Quarter 2009

Reported persons living with HIV/AIDS as of June 30, 2009
by exposure characteristics, Cleveland Area* Cases
(Provisional data received as of Sept. 8, 2009)

Race/Ethnicity Exposure Category	Total Persons Living with HIV/AIDS			Males Living with HIV/AIDS			Females Living with HIV/AIDS		
	Cases	%	% excldg RNR (e)	Cases	%	% excldg RNR (e)	Cases	%	% excldg RNR (e)
White/ Non-Hispanic									
Male/Male Sex	646	53%	61%	646	61%	69%	-	-	-
Injection Drug Use (IDU)	77	6%	7%	51	5%	5%	26	16%	20%
Male/Male Sex & IDU	29	2%	3%	29	3%	3%	-	-	-
Bisexual Contact	88	7%	8%	88	8%	9%	0	0%	0%
Bisexual & IDU	10	1%	1%	10	1%	1%	0	0%	0%
Heterosexual Contact	192	16%	18%	89	8%	10%	103	62%	79%
Blood Product Receipt	9	1%	1%	9	1%	1%	0	0%	0%
Perinatal Transmission	9	1%	1%	8	1%	1%	1	1%	1%
Risk Not Reported (RNR)	165	13%	-	130	12%	-	35	21%	-
Black-Afr Amer (Non-Hisp.)									
Male/Male Sex	609	27%	33%	609	38%	45%	-	-	-
Injection Drug Use (IDU)	174	8%	9%	103	6%	8%	71	11%	14%
Male/Male Sex & IDU	29	1%	2%	29	2%	2%	-	-	-
Bisexual Contact	216	10%	12%	207	13%	15%	9	1%	2%
Bisexual & IDU	15	1%	1%	14	1%	1%	1	<1%	<1%
Heterosexual Contact	766	34%	41%	368	23%	27%	398	64%	78%
Blood Product Receipt	16	1%	1%	8	0%	1%	8	1%	2%
Perinatal Transmission	40	2%	2%	16	1%	1%	24	4%	5%
Risk Not Reported (RNR)	365	16%	-	255	16%	-	110	18%	-
Hispanic									
Male/Male Sex	46	12%	15%	46	19%	22%	-	-	-
Injection Drug Use (IDU)	98	26%	31%	78	32%	37%	20	16%	19%
Male/Male Sex & IDU	1	<1%	<1%	1	<1%	<1%	-	-	-
Bisexual Contact	13	3%	4%	12	5%	6%	1	1%	1%
Bisexual & IDU	1	<1%	<1%	1	<1%	<1%	0	0%	0%
Heterosexual Contact	128	34%	41%	58	24%	28%	70	54%	67%
Blood Product Receipt	3	<1%	<1%	1	<1%	<1%	2	2%	2%
Perinatal Transmission	24	6%	8%	12	5%	6%	12	9%	11%
Risk Not Reported (RNR)	59	16%	-	35	14%	-	24	19%	-
	No.	%	%, 2007(a)	No.	%	%, 2007(b)	No.	%	%, 2007(c)
All Races and Ethnicities									
Male/Male Sex	1319	33%	45%	1319	44%	57%	-	-	-
Injection Drug Use (IDU)	353	9%	7%	235	8%	6%	118	12%	12%
Male/Male Sex & IDU	59	1%	3%	59	2%	4%	-	-	-
Bisexual Contact	323	8%	-	313	10%	-	10	1%	(other)
Bisexual & IDU	26	1%	-	25	1%	-	1	<1%	(other)
Heterosexual Contact	1102	28%	14%	522	17%	5%	580	60%	47%
Blood Product Receipt	28	1%	31%	18	1%	27%	10	1%	41%
Perinatal Transmission	75	2%	(other +	36	1%	(other +	39	4%	(other +
Risk Not Reported	698	18%	unknown)	500	17%	unknown)	203	21%	unknown)
Total	**3,983**	100%	100%	**3,027**	100%	100%	**961**	100%	100%

* CUYAHOGA COUNTY CASE is defined as an individual who is classified as infected with HIV or diagnosed with AIDS as a resident of Cuyahoga County at the time of diagnosis, is believed to have been infected while a resident of Cuyahoga County and resided in the county at last report.

(a,b,c) The Ohio cumulative data as of Dec.31, 2007 were obtained from the ODH HIV/AIDS Surveillance Unit.

(a) % of 15,413 Ohio total living cases. (b) % of 12,210 Ohio living male cases. (c) % of 3,202 Ohio living female cases. Source: ODH

(d) Total numbers of cases include cases whose gender were not reported. (e) Percentage, excluding those not reporting risk (RNR)

Dash or hyphen indicates no cases were reported (or % e calculated) for the given category.